



Series Seamotion



## GENERAL SPECIFICATIONS

• L.O.A:	10,32 - 11,37 m*	33'10" - 37'4**
• Hull length:	9,98 m	32'9"
• Overall width:	3,85 m	12'8"
• Beam:	3,80 m	12'6"
• Light displacement (EC):	7 076 kg	15,596 lbs
• Air draught:	4,70 m	15'5"
• Draught:	1,00 m	2'11"
• Fuel tank:	650 l	172 US Gal
• Water tank:	320 l	85 US Gal
• Maximum engine power:	2 x 300 HP	2 x 300 HP
• Max engine certification:	640 HP	640 HP

\* (with aft swimming platform)

\*\* (max with hoop bar, radar and antenna)

## ARCHITECT / DESIGNERS

- Naval Architect: BENETEAU POWER
- Interior design: SARRAZIN DESIGN

## EC CERTIFICATE

- Category B - 10 persons
- Category C - 12 persons
- Category D - 12 persons

## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- Sandwich (Polyester resin - Glass fiber / Balsa core)
- White gel coat
- Counter moulding of integral structure hull in monolithic laminate (Polyester resin - Glass fiber)

Profile:

- Semi-floating lower hull with bell V bow
- Side stabiliser skids

#### DECK

Composition:

- Sandwich (Polyester resin - Glass fiber / Balsa core)
- Part counter moulding structure in monolithic laminate (Polyester resin - Glass fiber)
- White gel coat
- Diamond tip type non-slip covering
- Joining hull / deck with sheer rail aluminium and grey rubber

### DECK EQUIPMENT

Water drainage ducts on the catwalks

#### MOORING LINES - MOORING

- Swivel bow fitting in stainless steel
- 6 Aluminium mooring cleats (L 300mm / 12")
- Mooring locker with self-bailer

#### SAFETY ON DECK

- Stainless steel half open pulpit surrounding the cockpit up to the cockpit steps
- 2 Stainless steel guard rails on the peak
- 2 Stainless steel handrails on access to side decks steps

#### COCKPIT

- Self-bailing cockpit
- Gunwales in plain solid wood
- 1 Large lockable locker in cockpit bottom assisted by 2 gas pistons
- 2 Fishing rod holders
- Gas cylinder locker
- 1 Stainless steel bathing ladder
- Hot/cold water cockpit shower hose
- Cockpit gate in transom

#### FLY BRIDGE

*Accommodation designed for cruising comfort with large space for the saloon and sun deck*

- Access ladder with stainless steel uprights and solid wood steps plain
- Grey tinted separating door in PMMA, translucent
- Grey tinted windscreen in PMMA with stainless steel profiles
- Fly bridge surrounded by stainless steel pulpit
- Polyester hoop bar mounted with navigation lights and other navigation instruments - Pilot console to starboard
- Control panel including: Electrical engine controls, Electric windlass control\*, Thruster\*, Flaps\*
- Sports steering wheel
- Hydraulic steering
- Fog horn
- Height adjustable pilot seat(s)
- flybridge room on port consisting of a U-shaped seat and a natural solid wood table
- Large extendible sun deck (1,95 m x 1,40 m / 6'5" x 4'7") through swinging saloon bench seat back over
- Ice box position under the sun deck

\* according to options

### INTERIOR

- Alpi walnut woodwork
- Brown oak laminated floors
- Corrado Beige upholstery (Saloon)

#### COMPANIONWAY

Headroom: 1,92 m / 6'4"

#### SALOON

Headroom: 1,96 m / 6'5"

- L-shaped bench seat with fitted storage lockers
- Double bench seat to port with removable seating
- Saloon table with solid wood beading
- 3 leaved aft window door with black lacquered aluminium frame

#### GALLEY (PORT SIDE)

Headroom: 1,96 m / 6'5"

- L-shaped kitchen
- Includes:
  - \* Laminated worktop
  - \* Single bowl stainless steel sink
  - \* 2-burner hob and oven
  - \* 80 L front opening fridge (Supply 220 V / 12 V)
  - \* Bin



## STEERING STATION (STARBOARD)

- Grey tinted windscreen in Glass
- Electric windscreen wipers
- Windscreen washer
- Grey tinted sliding side windows in PMMA
- Black lacquered aluminium frames
- Interior curtains (side windows and aft window door)
- Ergonomic control panel with wide space for installation of navigation electronics
- Engine dials: Revolution counter, Engine temperature gauge, Fuel gauge indicator
- Electric windlass control\*, Bow thruster\*, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls with EVC
- Sports steering wheel
- Steering compass
- 12 function electrical panel
- Two seater pilot bench Nuance coffee bean PVC
- Footrests

## HEAD (PORT SIDE)

Headroom: 1,98 m / 6'6"

- Washroom completely counter moulded
- Marine toilet
- Rigid holding tank (88 l / 23 US Gal)
- Polyester basin
- Chrome taps
- Pressured hot/cold water mixer tap
- Storage
- Mirror
- Separate shower
- Electric pump for shower draining
- 1 Opening porthole
- Light trunk overlooking wheelhouse

## OWNER CABIN (FORWARD)

Headroom: 1,92 m / 6'4"

- Double berth (2,00 m x 1,50 m / 6'7" x 4'11")
- Marine mattress
- Hanging locker
- Storage
- 1 Opening deck hatch with fitted mosquito net
- 2 Opening hull portholes

## GUEST CABINS (PORT SIDE)

Headroom: 1,94 m / 6'4"

- Double berth (1,96 m x 1,55 m / 6'5" x 5'1")
- Marine mattress
- Hanging locker
- Storage
- 2 opening portholes

## ENGINE

- Shaft line propulsion
- Four blade propeller
- Dual engine **Volvo D4 2x260 HP/HP Diesel or Volvo D4 2x300 HP/HP Diesel**
- Fuel filter with decanter
- Sea water filter
- Engine room soundproofed with high density foam
- 2 Extinguishers
- Stainless steel fuel tank deck filler
- 2 Roto moulded fuel tanks (Capacity = 2 x 325 l / 86 US Gal)
- Steering system: 2 Underhung rudders stainless steel
- Hydraulic steering

## ELECTRICITY

- 12 function electrical panel 12 V/220 V
- 220V shore power
- 2 Batteries 12 V 110 Ah for engine starting
- 1 Service battery 12 V 110 Ah
- Battery charger 40 Ah/h
- 1 12 V socket
- 5 Interior sockets 220 V
- Interior lighting (18 Overhead lights, 4 Reading lights, 2 Fluorescent tubes)
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

## PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Electric bilge pumps 1 of which automatic
- Water pump for pressurising hot/cold water system
- 25 L / 7 US Gal water heater working off engine exchanger and 220 V
- Stainless steel water tank filler
- Rotational moulded water tank (320 l / 85 US Gal)



## TRIM LEVEL

	<b>CLASSIC</b>
Grey "Perle" hull	■
Specific decor	■
Fly PVC Diamante Storm Cushions	■
1000 W Electric windlass + Remote control	■
Bow thruster + 2 Batteries 12 V 50 Ah in replacement 1 battery 12 V 110 Ah	■
Saloon bench convertible to double berth	■
CD player / MP3 + 2 Interior loudspeakers + 2 Exterior loudspeakers	■
PVC Diamante Storm forward sun mattress	■
Electric trim tabs	■
Cockpit bench seat PVC Diamante Storm upholstery	■
Multifunction screen RAYMARINE e127 + e95 on flying bridge	■
Thru-hull transducer - Loch Speedometer, Water temperature	■

## OPTIONS

### PACKS

#### PACK ELECTRONIC RAYMARINE

- RAYMARINE dual station VHF connected to the AIS 650 transponder system (Transmitter/Receiver)
- Auto pilot Raymarine P70R

### OTHER OPTIONS

- Mooring kit
- Catwalks decked in natural solid wood
- Natural solid wood cockpit
- Hydraulic gangway
- Cockpit wheelhouse cover Silver
- Aft cockpit closing Silver
- flybridge Bimini top upholstery "Silver"
- Sun bed PVC Storm
- L-shaped cockpit bench seat PVC Storm
- Digital radar - 4 Kw
- Console cover Fly
- White outside wheelhouse curtains
- Aft swimming platform decked in natural solid wood with fitted swimming ladder
- Pump for deck washing (Sea water)
- 6KVA Electric generator
- Fully electric kitchen 220 V (Ceramic hob + Microwave oven / Grill)
- Forced air heating fuel
- 24 000 BTU Air conditioning 220 V
- Quiet Flush electric toilet
- TV LED 22" + DVD player in master cabin
- TV LED 22" + DVD player in saloon
- Fridge icebox on flybridge (30 l)
- Spare battery 110 A
- Wheelhouse cabinet
- Ultraleather Saloon upholstery, Leather or Fabrics
- PVC Nuance white salon cushions
- Mirage Blue Saloon upholstery
- Taupe Saloon upholstery
- 'Corail' carpet in the wheelhouse
- Solid wood slatted catwalks
- Single lever control + VOLVO Onboard computer



America/Export: Please note that electric power and appliances may be different and/ or not offered on standard or on option. They would be adapted locally by your dealer.